

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("6014188") or ("6424398")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/23 11:00
S1	1	((fiber near coat\$3) and "polyester oligomer").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:22
S2	423	349/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 16:27
S3	15	flower and "349"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:26
S4	88	caley.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:28
S6	9	"349"/\$3.ccls. and gate adj line with voltage with range	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:38
S7	20	"349"/\$3.ccls. and gate adj line with volts	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:45
S8	3	"349"/\$3.ccls. and scan\$3 adj line with volts	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:49
S9	22	"349"/\$3.ccls. and gate adj electrode with volts	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:52
S10	23	"349"/\$3.ccls. and gate adj electrode with low near volt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/19 15:53
S11	1081	(high adj (power voltage)) with transistor with volts	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/19 16:29
S12	33	(high adj (power)) with transistor with volts	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/19 19:55

S13	3	("6067140").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/20 08:51
S14	35878	(349/\$3.ccls. and electrode with (hole aperture slit\$5) with hex\$8).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/20 08:52
S15	8	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) with hex\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 10:37
S16	1	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) with pent\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 08:56
S17	129	"349"/\$3.ccls. and electrode with (pent\$8 hex\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 09:25
S18	56	"349"/\$3.ccls. and (hole aperture) with (pent\$8 hex\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 09:26
S19	43	S18 not (S15 S16 S17)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 09:26
S20	9	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) with polygon\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:02
S21	9	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) with polygon\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:06
S22	780	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:06
S23	338	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) near3 shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:07
S24	177	"349"/\$3.ccls. and electrode with (hole aperture slit\$5) with shape\$1 and (multi adj domain (multidomain))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 11:27

S25	30	"349"/\$3.ccls. and (multi adj domain (multidomain)) and hexagon\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 13:30
S26	99	"349"/130.ccls. and (multi adj domain (multidomain))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 13:31
S27	9	"349"/130.ccls. and (multi adj domain (multidomain)) and (circul\$5 near polariz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 14:11
S28	11	"1061383"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/20 14:22
S29	2	("6057900").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/20 16:43
S30	2	("6025810").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/21 10:17
S31	0	DLD.ti. and temperature adj (sensor gauge control\$5).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:17
S32	0	DLD.ti,ab. and temperature adj (sensor gauge control\$5).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:21
S33	0	(diffract\$5 adj light adj device).ti,ab. and temperature adj (sensor gauge control\$5).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:22
S34	0	(diffract\$5 adj light adj device).ti,ab. and temperature.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:25
S35	23	(dlp).ti,ab. and temperature.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:26
S36	325	(dlp).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:26

S37	2	(dlp with dld)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:27
S38	113	(dld (diffract\$5 adj light adj device)).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:34
S39	264	qualcomm and (display).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 10:34
S40	2	("20030160928").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/21 11:33
S41	510	349/129.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 11:33
S42	37900	((axi\$5 radi\$5) adj symmetr\$3) axisymmetric radialsymmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 11:37
S43	18	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 11:43
S44	88	caley.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 11:43
S45	35909	"349"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:17
S46	19	(circular adj polariz\$5) with wide with quarter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:24
S47	523441	wide with quarter wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:24
S48	454	wide with quarter with wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:24

S49	100	S45 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:56
S50	16	"349"/\$3.ccls. and electrode with pyramid	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:08
S51	746	"349"/\$3.ccls. and positiv\$5 with negativ\$5 with dielectric with anisotropy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:08
S52	94	"349"/129,130.ccls. and positiv\$5 with negativ\$5 with dielectric with anisotropy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:08
S53	45	"349"/130.ccls. and positiv\$5 with negativ\$5 with dielectric with anisotropy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 14:58
S54	2	("6850301").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/21 15:12
S55	8	((align\$5 orient\$5) adj (film layer)) with inorganic with (life durab\$5 longevity)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 15:48
S56	1461	349/128,129,141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/23 11:00